Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	111	((variable near3 gain) with exponent\$5) and (control near voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 07:05
L2	222	((variable near3 gain) with exponent\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 07:05
L3	2	((variable near3 gain) with exponent\$5) and (voltage near gain) and (independent with thermal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 07:05
L4	2	((variable near3 gain) same exponent\$5) and (voltage near gain) and (independent with thermal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 07:05
L5	81	((variable near3 gain) with exponent\$5) and (control near2 voltage\$1) and (voltage near2 gain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 07:05
L6	6	(variable near3 gain) and (control near2 voltage\$1) and ((voltage near2 gain) with exponent\$ with inver\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 07:05
L7	11	(variable near3 gain) and (control near2 voltage\$1) and ((voltage near2 gain) same exponent\$ same inver\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 07:05
L8	5	L7 not L6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 07:05
L9	18	(variable near3 gain) and (control near2 voltage\$1) and ((voltage near2 gain) with exponent\$) and (independent with temperature\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 07:05

				•		
L10		"20050073362".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 07:05
L11	0	"330"/\$.ccls. and ((operation near2 amplifier) with current mirror) and (voltage near2 temprature) and (reference near2 voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 07:05
L12	348	"330"/\$.ccls. and ((operation near2 amplifier) with current mirror) and (voltage near2 temperature\$1) and (reference near2 voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 07:05
L13	5	"330"/\$.ccls. and ((operation near2 amplifier) with feedback with resist\$6) and (voltage near2 temperature\$1) and (reference near2 voltage) and (current near mirror)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 07:05
L14	126	(proportion with voltage with amplifier) and (current near mirror) and (voltage near reference\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 07:05
L15	14	(proportion with voltage with amplifier) and (current near mirror) and (voltage near reference\$1) and exponential	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 07:05
L16	71	(temperature with voltage with amplifier) and (current near mirror) and (voltage near reference\$1) and exponential	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 07:05
L17	27	330/254,256,260.ccls. and ((variable near3 gain) with exponent\$5) and (control near voltage) and temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 07:05
L18	27	330/250,254,256,260.ccls. and ((variable near3 gain) with exponent\$5) and (control near voltage) and temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 07:05
L19	41	"330"/\$.ccls. and ((variable near3 gain) with exponent\$5) and (control near voltage) and temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 07:05

L20	2	"20050046479".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 07:05
L21	231	(compar\$3 with differe\$7 with (bit near2 line\$1) with (ground or potential))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 07:05
L22	25	((voltage near2 gain) with exponent\$ with inver\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 07:05
L23	142	(voltage near2 gain) with exponent\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 07:05
L24	2	"20010006353".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 07:05
L25	42	330/250,254,256,260.ccls. and ((voltage near3 gain) with exponent\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 07:05
L26	8	330/250,254,256,260.ccls. and ((voltage near3 gain) with exponent\$5 with inver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 07:05
L27	12	"330"/\$.ccls. and ((voltage near3 gain) with exponent\$5 with inver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 07:05
L28	4	L27 not L26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 07:05

L29	31	((voltage near3 gain) with exponent\$5 with inver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 07:05
L30	19	L29 not L27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 07:05
L31	2	"5030924".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 07:05
L32	2	"20010006353".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 07:05
L33	7	"330"/\$.ccls. and (linear adj2 decibel). ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 07:05
L34	4	(("20010006353") or ("5030924")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 07:05
L35	20	"5162678"	US-PGPUB; USPAT; USOCR; EPO; JPO;' DERWENT; IBM_TDB	OR	OFF	2006/02/15 07:05
L36	2	"5162678".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 07:05

L37	8	(("20030058047") or ("5912589") or ("5247398") or ("5162678")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 07:05
-----	---	--	---	----	-----	------------------